Index to Volume 63

Author Index

Abecassis, J. See J. C. Autran, 390 Adkins, J. S. See P. E. Gayle, 136

Afework, S. See B. D. Webb, 27 Albers, L. See G. Lookhart, 280, 497

Anderson, D. M., P. A. Thacker, F. Fenton, and J. P. Bowland. Chemical composition and nutritive value of dark hard and yellow hard kernels of Canadian winter wheats (Triticum aestivum L.) fed to laboratory rats, 75 Andrews, L. C. See P. L. Finney, 18, 177

Añón, M. C. See C. E. Lupano, 259

Autran, J. C., J. Abecassis, and P. Feillet. Statistical evaluation of different technological and biochemical tests for quality assessment in durum wheats, 390

Axtell, J. D. See M. M. Hassen, 175

Bahnassey, Y., and K. Khan. Fortification of spaghetti with edible legumes. II. Rheological, processing, and quality evaluation studies, 216

and R. Harrold. Fortification of spaghetti with edible legumes. I. Physicochemical, antinutritional, amino acid, and mineral composition, 210

Ballance, G. M. See L. J. Macri, 263, 267

Barnett, B. D. See D. B. Bechtel, 232

Bartholomai, G. B. See A. M. R. Pilosof, 456
Batten, G. D. Phosphorus fractions in the grain of diploid, tetraploid, and hexaploid wheat grown with contrasting phosphorus supplies, 384

and J. N. A. Lott. The influence of phosphorus nutrition on the appearance and composition of globoid crystals in wheat aleurone cells,

Bechtel, D. B., and B. D. Barnett. A freeze-fracture study of storage protein accumulation in unfixed wheat starchy endosperm, 232

Bekes, F., U. Zawistowska, R. R. Zillman, and W. Bushuk. Relationship between lipid content and composition and loaf volume of twenty-six common spring wheats, 327

Belitz, H.-D., R. Kieffer, W. Seilmeier, and H. Wieser. Structure and function of gluten proteins, 336

Bertrand, D. See M. F. Devaux, 151

Betschart, A. A. See T. S. Kahlon, 490 Bhat, U. R., and R. N. Tharanathan. Carbohydrate profile of black gram (Phaseolus mungo), 376

Bhatty, R. S. Physiochemical and functional (breadmaking) properties of hull-less barley fractions, 31

The potential of hull-less barley-a review, 97

Bietz, J. A. See T. S. Kahlon, 490

See L. V. S. Sastry, 420

See U. Zawistowska, 414

Bishop, R. See Y .- J. Guo, 1

Bohannon, F. See G. S. Ranhotra, 459

Bollich, C. N. See B. D. Webb, 27

Boquet, R. See A. M. R. Pilosof, 456

Boudreau, A. See R. R. Matsuo, 484

Bowland, J. P. See D. M. Anderson, 75

Brooks, J. R., V. K. Griffin, and M. W. Kattan. A modified method for total carbohydrate analysis of glucose syrups, maltodextrins, and other starch hydrolysis products, 465

Buendia, M. O., and B. L. D'Appolonia. Storage studies on confectionary sunflower kernels, 85

Bullerman, L. B. See S.-J. Lee, 82

Bushuk, W. See F. Bekes, 327

See M. M. Youssef, 357

See U. Zawistowska, 414

Campaña, L. E., M. E. Sempé, and R. R. Filgueira. Effect of microwave energy on drying wheat, 271

Champagne, E. T., R. M. Rao, J. A. Liuzzo, J. W. Robinson, R. J. Gale, and F. Miller. Isolation and identification of soluble magnesium and potassium phytates from rice bran, 160

Cherdkiatgumchai, P., and D. R. Grant. Enzymes that contribute to the oxidation of L-ascorbic acid in flour/water systems, 197

Chow, F. I. See T. S. Kahlon, 490

Chung, D. S. See D. M. Chung, 124

See M. Naewbanij, 315

Chung, K. M., D. S. Chung, and P. A. Seib. Brewers' condensed solubles. III. Enzymatic hydrolysis, viscosity reduction, and fermentation, 124

Clements, R. L. See J. R. Donelson, 109 Colonna, P. See J. L. Doublier, 240

Cuevas, R., and C. Puche. Study of the rheological behavior of corn dough using the farinograph, 294

Currier, C. G. See N. D. Davis, 467

Czuchajowska, Z. See C. R. Martin, 442 See Y. Pomeranz, 22, 39, 283, 349

D'Appolonia, B. L. See M. O. Buendia, 85

See K. Suzuki, 320

Dahm, P. F. See M. Kazemzadeh, 304

Damodaran, S., and J. E. Kinsella. Role of electrostatic forces in the interaction of soy proteins with lysozyme, 381

Daun, J. K. See R. R. Matsuo, 484

Davis, A. B. See M. L. Martin, 252

Davis, E. A., J. Grider, and J. Gordon. Microstructural evaluation of model starch systems containing different types of oils, 427

Davis, N. D., C. G. Currier, and U. L. Diener. Aflatoxin contamination of corn hybrids in Alabama, 467

Devaux, M. F., D. Bertrand, and G. Martin. Discrimination of breadbaking quality of wheats according to their variety by near-infrared reflectance spectroscopy, 151

Dexter, J. E. See R. R. Matsuo, 484

See M. G. Scanlon, 431 Deyoe, C. W. See M. Naewbanij, 315

See E. S. Posner, 451

Diehl, K. C., Jr. See M. Kazemzadeh, 304

Diener, U. L. See N. D. Davis, 467

Donelson, J. R., and R. L. Clements. Components of cake batter expansion in white layer cakes, 109

Doublier, J. L., P. Colonna, and C. Mercier. Extrusion cooking and drum drying of wheat starch. II. Rheological characterization of starch pastes,

Earp, C. F. See M. M. Morad, 255

Eckhoff, S. R. See J. Tuite, 462

Ejeta, G. See M. M. Hassen, 175

Ellis, R., and E. R. Morris. Appropriate resin selection for rapid phytate analysis by ion-exchange chromatography, 58

Erdman, J. W., Jr. See S. S. Kantha, 9

Erdman, M. D. Starch from arrowroot (Maranta arundinacea) grown at Tifton, Georgia, 277

Eustace, W. D. See L. M. Seitz, 146

Faubion, J. M. See N. L. Nolan, 287, 291

See V. P. Reddy, 403

Feillet, P. See J. C. Autran, 390 Fenton, M. See D. M. Anderson, 75

Ferhnström, H. See Y .- J. Guo, 1

Filgueira, R. R. See L. E. Campaña, 271

Finney, K. F. See N. H. Oh, 93

Finney, P. L., and L. Andrews. A 30-minute conditioning method for micro-, intermediate-, and large-scale experimental milling of soft red winter wheat, 18

and Revised microtesting for soft wheat quality evaluation, 177

Foster, G. H. See J. Tuite, 462

Frølich, W. See G. Rognerud, 207 Fujino, Y. See M. Ohnishi, 193

Fulcher, R. G. See V. F. Rasper, 395

Gaines, C. S. Texture (hardness and softness) variation among individual soft and hard wheat kernels, 479

Gale, R. J. See E. T. Champagne, 160

Gayle, P. E., E. M. Knight, J. S. Adkins, and B. F. Harland. Nutritional and organoleptic evaluation of wheat breads supplemented with pigeon pea (Cajanus cajan) flour, 136

Gelroth, J. A. See G. S. Ranhotra, 401, 411, 459

Index to Volume 63

Author Index

Abecassis, J. See J. C. Autran, 390 Adkins, J. S. See P. E. Gayle, 136

Afework, S. See B. D. Webb, 27 Albers, L. See G. Lookhart, 280, 497

Anderson, D. M., P. A. Thacker, F. Fenton, and J. P. Bowland. Chemical composition and nutritive value of dark hard and yellow hard kernels of Canadian winter wheats (Triticum aestivum L.) fed to laboratory rats, 75 Andrews, L. C. See P. L. Finney, 18, 177

Añón, M. C. See C. E. Lupano, 259

Autran, J. C., J. Abecassis, and P. Feillet. Statistical evaluation of different technological and biochemical tests for quality assessment in durum wheats, 390

Axtell, J. D. See M. M. Hassen, 175

Bahnassey, Y., and K. Khan. Fortification of spaghetti with edible legumes. II. Rheological, processing, and quality evaluation studies, 216

and R. Harrold. Fortification of spaghetti with edible legumes. I. Physicochemical, antinutritional, amino acid, and mineral composition, 210

Ballance, G. M. See L. J. Macri, 263, 267

Barnett, B. D. See D. B. Bechtel, 232

Bartholomai, G. B. See A. M. R. Pilosof, 456
Batten, G. D. Phosphorus fractions in the grain of diploid, tetraploid, and hexaploid wheat grown with contrasting phosphorus supplies, 384

and J. N. A. Lott. The influence of phosphorus nutrition on the appearance and composition of globoid crystals in wheat aleurone cells,

Bechtel, D. B., and B. D. Barnett. A freeze-fracture study of storage protein accumulation in unfixed wheat starchy endosperm, 232

Bekes, F., U. Zawistowska, R. R. Zillman, and W. Bushuk. Relationship between lipid content and composition and loaf volume of twenty-six common spring wheats, 327

Belitz, H.-D., R. Kieffer, W. Seilmeier, and H. Wieser. Structure and function of gluten proteins, 336

Bertrand, D. See M. F. Devaux, 151

Betschart, A. A. See T. S. Kahlon, 490 Bhat, U. R., and R. N. Tharanathan. Carbohydrate profile of black gram (Phaseolus mungo), 376

Bhatty, R. S. Physiochemical and functional (breadmaking) properties of hull-less barley fractions, 31

The potential of hull-less barley-a review, 97

Bietz, J. A. See T. S. Kahlon, 490

See L. V. S. Sastry, 420

See U. Zawistowska, 414

Bishop, R. See Y .- J. Guo, 1

Bohannon, F. See G. S. Ranhotra, 459

Bollich, C. N. See B. D. Webb, 27

Boquet, R. See A. M. R. Pilosof, 456

Boudreau, A. See R. R. Matsuo, 484

Bowland, J. P. See D. M. Anderson, 75

Brooks, J. R., V. K. Griffin, and M. W. Kattan. A modified method for total carbohydrate analysis of glucose syrups, maltodextrins, and other starch hydrolysis products, 465

Buendia, M. O., and B. L. D'Appolonia. Storage studies on confectionary sunflower kernels, 85

Bullerman, L. B. See S.-J. Lee, 82

Bushuk, W. See F. Bekes, 327

See M. M. Youssef, 357

See U. Zawistowska, 414

Campaña, L. E., M. E. Sempé, and R. R. Filgueira. Effect of microwave energy on drying wheat, 271

Champagne, E. T., R. M. Rao, J. A. Liuzzo, J. W. Robinson, R. J. Gale, and F. Miller. Isolation and identification of soluble magnesium and potassium phytates from rice bran, 160

Cherdkiatgumchai, P., and D. R. Grant. Enzymes that contribute to the oxidation of L-ascorbic acid in flour/water systems, 197

Chow, F. I. See T. S. Kahlon, 490

Chung, D. S. See D. M. Chung, 124

See M. Naewbanij, 315

Chung, K. M., D. S. Chung, and P. A. Seib. Brewers' condensed solubles. III. Enzymatic hydrolysis, viscosity reduction, and fermentation, 124

Clements, R. L. See J. R. Donelson, 109 Colonna, P. See J. L. Doublier, 240

Cuevas, R., and C. Puche. Study of the rheological behavior of corn dough using the farinograph, 294

Currier, C. G. See N. D. Davis, 467

Czuchajowska, Z. See C. R. Martin, 442 See Y. Pomeranz, 22, 39, 283, 349

D'Appolonia, B. L. See M. O. Buendia, 85

See K. Suzuki, 320

Dahm, P. F. See M. Kazemzadeh, 304

Damodaran, S., and J. E. Kinsella. Role of electrostatic forces in the interaction of soy proteins with lysozyme, 381

Daun, J. K. See R. R. Matsuo, 484

Davis, A. B. See M. L. Martin, 252

Davis, E. A., J. Grider, and J. Gordon. Microstructural evaluation of model starch systems containing different types of oils, 427

Davis, N. D., C. G. Currier, and U. L. Diener. Aflatoxin contamination of corn hybrids in Alabama, 467

Devaux, M. F., D. Bertrand, and G. Martin. Discrimination of breadbaking quality of wheats according to their variety by near-infrared reflectance spectroscopy, 151

Dexter, J. E. See R. R. Matsuo, 484

See M. G. Scanlon, 431 Deyoe, C. W. See M. Naewbanij, 315

See E. S. Posner, 451

Diehl, K. C., Jr. See M. Kazemzadeh, 304

Diener, U. L. See N. D. Davis, 467

Donelson, J. R., and R. L. Clements. Components of cake batter expansion in white layer cakes, 109

Doublier, J. L., P. Colonna, and C. Mercier. Extrusion cooking and drum drying of wheat starch. II. Rheological characterization of starch pastes,

Earp, C. F. See M. M. Morad, 255

Eckhoff, S. R. See J. Tuite, 462

Ejeta, G. See M. M. Hassen, 175

Ellis, R., and E. R. Morris. Appropriate resin selection for rapid phytate analysis by ion-exchange chromatography, 58

Erdman, J. W., Jr. See S. S. Kantha, 9

Erdman, M. D. Starch from arrowroot (Maranta arundinacea) grown at Tifton, Georgia, 277

Eustace, W. D. See L. M. Seitz, 146

Faubion, J. M. See N. L. Nolan, 287, 291

See V. P. Reddy, 403

Feillet, P. See J. C. Autran, 390 Fenton, M. See D. M. Anderson, 75

Ferhnström, H. See Y .- J. Guo, 1

Filgueira, R. R. See L. E. Campaña, 271

Finney, K. F. See N. H. Oh, 93

Finney, P. L., and L. Andrews. A 30-minute conditioning method for micro-, intermediate-, and large-scale experimental milling of soft red winter wheat, 18

and Revised microtesting for soft wheat quality evaluation, 177

Foster, G. H. See J. Tuite, 462

Frølich, W. See G. Rognerud, 207 Fujino, Y. See M. Ohnishi, 193

Fulcher, R. G. See V. F. Rasper, 395

Gaines, C. S. Texture (hardness and softness) variation among individual soft and hard wheat kernels, 479

Gale, R. J. See E. T. Champagne, 160

Gayle, P. E., E. M. Knight, J. S. Adkins, and B. F. Harland. Nutritional and organoleptic evaluation of wheat breads supplemented with pigeon pea (Cajanus cajan) flour, 136

Gelroth, J. A. See G. S. Ranhotra, 401, 411, 459

Gordon, J. See E. A. Davis, 427

Grant, D. R. See P. Cherdkiatgumchai, 197

Greenwell, P., and J. D. Schofield. Communication to the editor: A starch granule protein associated with endosperm softness in wheat, 379

Grider, J. See E. A. Davis, 427

Griffin, V. K. See J. R. Brooks, 465

Guo, Y.-J., R. Bishop, H. Ferhnström, G.-Z. Yu, Y.-N. Lian, and S.-D. Huang. Classification of Chinese rice varieties by electrofocusing, 1

Hafez, Y. S. See A. I. Mohamed, 475

Hahn, D. H., and L. W. Rooney. Effect of genotype on tannins and phenols of sorghum, 4

Hall, G. E. See Y. Pomeranz, 349

Hanna, M. A. See S.-J. Lee, 82

Harden, M. See R. Zolfaghari, 104

Haridas Rao, P., K. Leelavathi, and S. R. Shurpalekar. Test baking of chapati-development of a method, 297

See G. Venkateswara Rao, 131 Harland, B. F. See P. E. Gayle, 136

Harrold, R. See Y. Bahnassey, 210

Hassen, M. M., E. T. Mertz, A. W. Kirleis, G. Ejeta, J. D. Axtell, and E. Villegas. Tryptophan levels in normal and high-lysine sorghums, 175

Hatcher, D. See B. A. Marchylo, 219

Heisel, S. E., D. M. Peterson, and B. L. Jones. Identification of United States barley cultivars by sodium dodecyl sulfate polyacrylamide gel electrophoresis of hordeins, 500

Herum, F. L. See S. A. Watson, 139

Hettiarachchy, N. S. See S. S. Kantha, 9

Hironaka, Y. Relationships between sensory flavor evaluation and gaschromatographic profiles of French bread, 369

Hoefer, J. L. See T. S. Kahlon, 490

Hoseney, R. C., K. Zeleznak, and C. S. Lai. Communication to the editor: Wheat gluten: A glassy polymer, 285
____. See W. R. Mason, 436

See W. R. Moore, 67, 172

See N. L. Nolan, 287, 291 See V. P. Reddy, 403

See Y. Wu, 43

See K. J. Zeleznak, 407

Huang, S.-D. See Y.-J. Guo, 1

Huffman, L. See R. Zolfaghari, 104

Iskander, F. Y. See M. M. Morad, 255

Ito, S. See M. Ohnishi, 193 Iwashima, A. See T. Mitsunaga, 332

Johnson, V. A. See C. J. Peterson, 183 Jones, B. L. See S. E. Heisel, 500

Jui, P. Y. See W. J. Mullin, 516

Kadan, R. S., and G. M. Ziegler, Jr. Effects of ingredients on iron solubility and chemical state in experimental breads, 47

Kahlon, T. S., F. I. Chow, J. L. Hoefer, and A. A. Betschart. Bioavailability of vitamins A and E as influenced by wheat bran and bran particle size,

Kantha, S. S., N. S. Hettiarachchy, and J. W. Erdman, Jr. Nutrient, antinutrient contents, and solubility profiles of nitrogen, phytic acid, and selected minerals in winged bean flour, 9

Kattan, M. W. See J. R. Brooks, 465

Kazemzadeh, M., K. C. Diehl, Jr., K. C. Rhee, and P. F. Dahm. Mechanical and structural evaluation of texturized soy proteins of varying protein content, 304

Khan, K. See Y. Bahnassey, 210, 216

Kieffer, R. See H.-D. Belitz, 336

Kim, S. H., and J. E. Kinsella. Effects of progressive succinylation on some molecular properties of soy glycinin, 342

Kinsella, J. E. See S. Damodaran, 381

See S. H. Kim, 342

Kirleis, A. W. See M. M. Hassen, 175

Knight, E. M. See P. E. Gayle, 136

Knutson, C. A. A simplified colorimetric procedure for determination of amylose in maize starches, 89

Kobayashi, S., S. J. Schwartz, and D. R. Lineback. Comparison of the structures of amylopectins from different wheat varieties, 71

Koivistoinen, P. See V. Piironen, 78

Koltun, S. P. See J. I. Wadsworth, 346

Kruger, J. E. See B. A. Marchylo, 219

Lai, C. S. See R. C. Hoseney, 285

Lai, F. S., Y. Pomeranz, and G. S. Robbins. Effects on barley and malt of

oil additives to reduce dust, 512

I. Zayas, and Y. Pomeranz. Application of pattern recognition techniques in the analysis of cereal grains, 168

See Y. Pomeranz, 22, 39, 349, 513

See B. D. Webb, 27

See I. Zayas, 52

Lamkin, W. M., N. C. Unruh, and Y. Pomeranz, Gas-chromatographic determination of low concentrations of propionic acid in grain sorghum,

Larter, E. N. See L. J. Macri, 263, 267

Lee, S.-J., M. A. Hanna, and L. B. Bullerman. Carbon dioxide and aflatoxin production in high-moisture corn treated with potassium sorbate, 82

Leelavathi, K. See P. Haridas Rao, 297 See G. Venkateswara Rao, 131

Lei, M.-G., and G. R. Reeck. Two-dimensional electrophoretic analysis of kernel proteins of triticales and of their parental durum wheats and ryes,

Two-dimensional electrophoretic analysis of wheat kernel proteins, 111

Lian, Y.-N. See Y.-J. Guo, 1

Lineback, D. R. See S. Kobayashi, 71

Liuzzo, J. A. See E. T. Champagne, 160

Lookhart, G. L., L. D. Albers, and J. A. Bietz. Comparison of polyacrylamide gel electrophoresis and high-performance liquid chromatography analyses of gliadin polymorphism in the wheat cultivar Newton, 497

, and Y. Pomeranz. The effect of commercial processing on some chemical and physical properties of oat groats, 280

Lorenz, K., and Y. S. Hwang. Lipids in proso millet (Panicum miliaceum) flour and brans, 387

Lott, J. N. A. See G. D. Batten, 14

Lupano, C. E., and M. C. Añón. Denaturation of wheat germ proteins during drying, 259

Macri, L. J., G. M. Ballance, and E. N. Larter. Changes in the alphaamylase and protease activities of four secondary hexaploid triticales during kernel development, 267

.. Factors affecting the breadmaking potential and_ of four secondary hexaploid triticales, 263

MacRitchie, F., and C. W. Wrigley. Lipid composition of flour and quality

changes associated with sulfur deficiency in wheat, 378 Marchylo, B. A., J. E. Kruger, and D. Hatcher. High-performance liquid chromatographic and electrophoretic analysis of hordein during malting

for two barley varieties of contrasting malting quality, 219
Martin, C. R., Z. Czuchajowska, and Y. Pomeranz. Aquagram standard deviations of moisture in mixtures of wet and dry corn, 442

Martin, G. See M. F. Devaux, 151

Martin, M. L., and A. B. Davis. Effect of soy flour on fat absorption by cake donuts, 252

Mason, W. R., and R. C. Hoseney. Factors affecting the viscosity of extrusion-cooked wheat starch, 436

Matsuda, M. See T. Mitsunaga, 332

Matsuo, R. R., J. E. Dexter, A. Boudreau, and J. K. Daun. The role of lipids in determining spaghetti cooking quality, 484

Mattern, P. J. Sec C. J. Peterson, 183

Mazza, G. Buckwheat browning and color assessment, 361

McDonald, C. E. See K. Suzuki, 320

McGuire, C. F. Quality evaluation of distillers' dried grain by near-infrared analysis, 155

Mercier, C. See J. L. Doublier, 240

Mertz, E. T. See M. M. Hassen, 175

Messinger, J. K. See G. A. Yanez, 273

Miller, F. See E. T. Champagne, 160

Mitsunaga, T., M. Matsuda, M. Shimizu, and A. Iwashima. Isolation and properties of a thiamine-binding protein from buckwheat seed, 332 Mohr, H. E. See L. M. Seitz, 146

Moore, W. R., and R. C. Hoseney. Influence of shortening and surfactants on retention of carbon dioxide in bread dough, 67

, and _ ... The effects of flour lipids on the expansion rate and volume of bread baked in a resistance oven, 172

Morad, M. J., F. Y. Iskander, L. W. Rooney, and C. F. Earp. Physicochemical properties of alkali-cooked corn using traditional and presoaking procedures, 255

Morris, E. R. See R. Ellis, 58

Mullin, W. J., and P. Y. Jui. Folate content of bran from different wheat classes, 516

Mwasaru, M. A. See R. D. Reichert, 201

Naewbanij, M., P. A. Seib, D. S. Chung, L. M. Seitz, and C. W. Deyoe.

Ergosterol versus dry matter loss as quality indicator for high-moisture rough rice during holding, 315

Nagao, S. See K. Okada, 187 Negishi, Y. See K. Okada, 187

Nolan, N. L., J. M. Faubion, and R. C. Hoseney. An electron spin resonance study of native and gelatinized starch systems, 287

, R. C. Hoseney, and J. M. Faubion. The effect of fatty acid spin labels upon starch, 291

Novak, F. A. See G. S. Ranhotra, 459

Obata, S. See M. Ohnishi, 193

Oh, N. H., P. A. Seib, K. F. Finney, and Y. Pomeranz. Noodles. V. Determination of optimum water absorption of flour to prepare oriental noodles, 93

Ohnishi, M., S. Obata, S. Ito, and Y. Fujino. Composition and molecular species of waxy lipids in wheat grain, 193

Okada, K., Y. Negishi, and S. Nagao. Studies on heavily ground flour using roller mills. I. Alteration in flour characteristics through overgrinding,

Ortega, E. I., E. Villegas, and S. K. Vasal. A comparative study of protein changes in normal and quality protein maize during tortilla making. 446 Osei-Yaw, A., and J. R. Powers. Batter properties of yellow pea flour with

respect to akla preparation, 506 Oybø, A. M. See G. Rognerud, 207

Paulis, J. W. See L. V. S. Sastry, 420 Perera, P. A. J. See A. I. Mohamed, 475

Peterson, C. J., V. A. Johnson, and P. J. Mattern. Influence of cultivar and environment on mineral and protein concentrations of wheat flour, bran, and grain, 183

Peterson, D. M. See S. E. Heisel, 500

Pico, M.-L. See V. F. Rasper, 395

Piironen, V., E.-L. Syväoja, P. Varo, K. Salminen, and P. Koivistoinen. Tocopherols and tocotrienols in cereal products from Finland, 78

Pilosof, A. M. R., R. Boquet, and G. B. Bartholomai. Effect of heatmoisture treatment of field bean (Phaseolus vulgaris) flour and protein isolate on water uptake, 456

Pomeranz, Y. Comparison of screening methods for indirect determination of sorghum hardness, 36

and Z. Czuchajowska. Rapid and simple detection of a mixture of wet and dry corn, 283

and F. S. Lai. Comparison of methods for determination of hardness and breakage susceptibility of commercially dried corn, 39 and . Gross composition of coarse and fine

fractions of small corn samples ground on the Stenvert hardness tester, G. E. Hall, Z. Czuchajowska, and F. S. Lai. Test weight, hardness,

and breakage susceptibility of yellow dent corn hybrids, 349 , F. S. Lai, and R. Rousser. Wheat sections-their preparation and

characterization, 513

See F. S. Lai, 168, 512 See W. M. Lamkin, 372

See G. Lookhart, 280

See C. R. Martin, 442

See N. H. Oh, 93

See B. D. Webb, 27

See D. Weipert, 352

See I. Zayas, 52

Posner, E. S., and C. W. Deyoe. Changes in milling properties of newly harvested hard wheat during storage, 451

Powers, J. R. See A. Osei-Yaw, 506

Puche, C. See R. Cuevas, 294

Ranhotra, G. S., and J. A. Gelroth. Stability of enrichment vitamins in bread and cookies, 401

and_ . Effects of high-chromium bakers' yeast on glucose tolerance and blood lipids in rats, 411

F. A. Novak, and F. Bohannon. Usable energy value of jojoba oil, 459

Rao, R. M. See E. T. Champagne, 160

Rasper, V. F., M. L. Pico, and R. G. Fulcher. Alveography in quality assessment of soft white winter wheat cultivars, 395

Reddy, V. P., J. M. Faubion, and R. C. Hoseney. Odor generation in ground, stored pearl millet, 403

Reeck, G. R. See M.-G. Lei, 111, 116

Reichert, R. D., J. T. Tatarynovich, and R. T. Tyler. Abrasive dehulling of quinoa (Chenopodium quinoa): Effect on saponin content as determined by an adapted hemolytic assay, 471

, R. T. Tyler, A. E. York, D. J. Schwab, J. E. Tatarynovich, and M.

A. Mwasaru. Description of a production model of the tangential abrasive dehulling device and its application to breeders' samples, 201

Rhee, K. C. See M. Kazemzadeh, 304 Robbins, G. S. See F. S. Lai, 512

Robinson, J. W. See E. T. Champagne, 160

Rognerud, G., B. Wilsher, A. M. Øybø, and W. Frølich. Sensory and nutritional properties in one variety of Norwegian whole grain bread,

Rooney, L. W. See D. H. Hahn, 4

See M. M. Morad, 255

Rousser, R. See Y. Pomeranz, 513 Rupnow, J. H. See G. A. Yanez, 273

Salminen, K. See V. Piironen, 78

Sastry, L. V. S., J. W. Paulis, J. A. Bietz, and J. S. Wall. Genetic variation of storage proteins in sorghum grain: Studies by isoelectric focusing and high-performance liquid chromatography, 420

Sato, K., T. Yamagishi, and F. Yamauchi. Quantitative analysis of soybean

proteins by densitometry on gel electrophoresis, 493 Scanlon, M. G., and J. E. Dexter. Effect of smooth roll grinding conditions

on reduction of hard red spring wheat farina, 431 Schofield, J. D. See P. Greenwell, 378

Schwab, D. J. See R. D. Reichert, 201 Schwartz, S. J. See S. Kobayashi, 71

Seguchi, M. Dye binding to the surface of wheat starch granules, 518

. Lipid binding by protein films heated on glass beads and prime wheat starch, 311

Seib, P. A. See D. M. Chung, 124

See M. Naewbanij, 315

See N. H. Oh, 93 See Y. Wu, 43

Seilmeier, W. See H.-D. Belitz, 336 Seitz, L. M., W. D. Eustace, H. E. Mohr, M. D. Shogren, and W. T. Yamazaki. Cleaning, milling, and baking tests with hard red winter wheat containing deoxynivalenol, 146

See M. Naewbanij, 315

Sempé, M. E. See L. E. Campaña, 271 Sharp, R. N. A rapid procedure for determining amylographic viscosity of

rice flour, 325

, and L. K. Timme. Effects of storage time, storage temperature, and packaging method on shelf life of brown rice, 247

Shimizu, M. See T. Mitsunaga, 332 Shogren, M. D. See L. M. Seitz, 146

Shotwell, O. L. See J. Tuite, 462

Shurpalekar, S. R. See P. Haridas Rao, 297 See G. Venkateswara Rao, 131

Skerritt, J. H. Molecular comparison of alcohol-soluble wheat and buckwheat proteins, 365

Stringfellow, A. C. See Y. V. Wu, 60 Suzuki, K., C. E. McDonald, and B. L. D'Appolonia. Near-infrared reflectance analysis of bread, 320

Syväoja, E. L. See V. Piironen, 78

Tatarynovich, J. E. See R. D. Reichert, 201, 471

Thacker, P. A. See D. M. Anderson, 75

Tharanathan, R. N. See Bhat, U. R., 376

Timme, L. K. See R. N. Sharp, 247

Tuite, J., G. H. Foster, S. R. Eckhoff, and O. L. Shotwell. Sulfur dioxide treatment to extend corn drying time, 462

Tyler, R. T. See R. D. Reichert, 201, 471

Unruh, N. C. See W. M. Lamkin, 372

Varo, P. See V. Piironen, 78

Vasal, S. K. See E. I. Ortega, 446

Venkateswara Rao, G., K. Leelavathi, P. Haridas Rao, and S. R. Shurpalekar. Changes in the quality characteristics of chapati during storage, 131

Villegas, E. See M. M. Hassen, 175

.. See E. I. Ortega, 446

Wadsworth, J. I., and S. P. Koltun. Physicochemical properties and cooking quality of microwave-dried rice, 346

Walker, C. E. See K. S. Watson, 62

. See G. A. Yanez, 164, 273

Wall, J. S. See L. V. S. Sastry, 420

Watson, K. S., and C. E. Walker. The effect of sucrose esters on flour-water dough mixing characteristics, 62

Watson, S. A., and F. L. Herum. Comparison of eight devices for

measuring breakage susceptibility of shelled corn, 139

Webb, B. D., Y. Pomeranz, S. Afework, F. S. Lai, and C. N. Bollich. Rice grain hardness and its relationship to some milling, cooking, and processing characteristics, 27

Weipert, D., and Y. Pomeranz. Viscometric indexes of U.S. wheats and flours of widely different protein contents and breadmaking quality, 352 Wieser, H. See H.-D. Belitz, 336

Williams, P. C. The influence of chromosome number and species on wheat hardness, 56

Wilsher, B. See G. Rognerud, 207

Wrigley, C. W. See F. MacRitchie, 378

Wu, Y. V. Fractionation and characterization of protein-rich material from barley after alcohol distillation, 142

P. A. Seib, and Hoseney, R. C. Low-protein flour from hard winter wheat: Wet processing to improve breadmaking potential, 43

and A. C. Stringfellow, Simple dry fractionation of corn distillers' dried grains and corn distillers' dried grains with solubles, 60

Yamagishi, T. See K. Sato, 493

Yamauchi, F. See K. Sato, 493

Yamazaki, W. T. See L. M. Seitz, 146

Yanez, G. A., J. K. Messinger, C. E. Walker, and J. H. Rupnow. Amaranthus hypochondriacus: Starch isolation and partial characterization 273

and C. E. Walker. Effect of tempering parameters on extraction and ash of proso millet flours, and partial characterization of proso starch, 164

York, A. E. See R. D. Reichert, 201

Youssef, M. M., and W. Bushuk. Breadmaking properties of composite flours of wheat and faba bean protein preparations, 357

Yu, G.-Z. See Y.-J. Guo, 1

Zawistowska, U., J. A. Bietz, and W. Bushuk. Characterization of lowmolecular-weight protein with high affinity for flour lipid from two wheat classes, 414

See F. Bekes, 327

Zayas, I., F. S. Lai, and Y. Pomeranz. Discrimination between wheat classes and varieties by image analysis, 52 . See F. S. Lai, 168

Zeleznak, K. J., and R. C. Hoseney. The role of water in the retrogradation

of wheat starch gels and bread crumb, 407 See R. C. Hoseney, 285

Ziegler, G. M., Jr. See R. S. Kadan, 47 Zillman, R. R. See F. Bekes, 327

Zolfaghari, R., M. Harden, and L. Huffman. Some physical and chemical properties of honey mesquite pod (Prosopis glandulosa) and applications in food products, 104

Subject Index

Acknowledgment of reviewers, v

Aflatoxin

contamination of corn hybrids (Davis et al), 467

production in high-moisture corn, effect of sorbate (Lee et al), 82 Alcohol, distillation, of barley (Wu), 142

α-Amylase, secondary triticale activity during kernel development (Macri et al), 267 Alveography, quality assessment of soft white winter wheat (Rasper et al),

Amaranth, isolation and partial characterization of starch from Amaranthus hypochondriacus (Yanez et al), 273

Amino acids

in distillers' dried grain, NIR analysis for quality evaluation (McGuire),

of legume flours and protein concentrates (Bahnassey et al), 210 Amylopectin, comparison of in wheat varieties (Kobayashi et al), 71

Amylose, determination in maize starches (Knutson), 89

Arrowroot, characteristics of U.S. grown (Erdman), 277

Ascorbic acid, enzymatic oxidation and flour improvement (Cherdkiatgumchai and Grant), 197

cake, effect of shortening emulsifier and free flour lipids on batter expansion (Donelson and Clements), 109

factors affecting breadmaking potential of secondary triticale (Macri et al), 263

hard wheat flour containing deoxynivalenol (Seitz et al), 146 microtesting for prediction (Finney and Andrews), 177

NIR spectroscopy for quality estimation (Devaux et al), 151

overgrinding effect on bread-baking properties (Okada et al), 187 test, of chapati, development of method (Haridas Rao et al), 297

alcohol distillation; fractionation and characterization of protein-rich material from (Wu), 142

analysis of hordeins by RP-HPLC and SDS gradient PAGE (Marchylo et al), 219

cultivar identification by SDS-PAGE (Heisel et al), 500 hull-less

physiochemical and functional properties of (Bhatty), 31 review of potential (Bhatty), 97

oil additive effect on dust reduction (Lai et al), 512

Batter, moisture content effect on fat uptake during frying (Osei-Yaw and Powers), 506

Bioavailability, iron, comparison of in vitro methods in bread (Kadan and Ziegler), 47

Black gram, carbohydrate profile of (Bhat and Tharanathan), 376

Bran

influence of wheat bran and bran particle size on vitamins A and E (Kahlon et al), 490

proso millet, lipids in (Lorenz and Hwang), 387

wheat, folate content of different classes and varieties (Mullin and Jui), 516

Bread and breadmaking

baking quality estimated by NIR spectroscopy (Devaux et al,, 151

breadmaking properties of composite flours of wheat and faba bean protein preparations (Youssef and Bushuk), 357

breadmaking quality of wheat flour (Weipert and Pomeranz), 352 flour lipid effect on expansion rate and volume, resistance oven (Moore

and Hoseney), 172

French bread, flavor affected by fermentation conditions (Hironaka), ingredient effect on iron solubility and chemical state (Kadan and

Ziegler), 47

lipid content and composition and loaf volume of common spring wheats (Bekes et al), 327

NIR reflectance analysis (Suzuki et al), 320

properties of hull-less barley (Bhatty), 31

retention of carbon dioxide in dough (Moore and Hoseney), 67

scab and deoxynivalenol effect on quality (Seitz et al), 146 secondary hexaploid triticale (Macri et al), 263

stability of enrichment vitamins in (Ranhotra and Gelroth), 401

wet processing of wheat flour (Wu et al), 43

wheat bread, supplemented with pigeon pea flour (Gayle et al), 136 whole grain, sensory and nutritional properties in one variety of

(Rognerud et al), 207 Bread staling, starch retrogradation effect on (Zeleznak and Hoseney), 407

Brewers' condensed solubles, enzymatic hydrolysis, viscosity reduction, and fermentation (Chung et al), 124

Ruckwheat

browning and color assessment (Mazza), 361 immunological characterization of (Skerritt), 365 thiamine-binding protein in (Mitsunaga et al), 332

Cakes and cookies

cakes, effect of

added wet wheat starch (Wu et al), 43

free flour lipids on batter expansion (Donelson and Clements), 109 cookies, stability of enrichment vitamins in (Ranhotra and Gelroth), 401 Carbohydrates

of black gram (Bhat and Tharanathan), 376

isolation and partial characterization of starch from Amaranthus hypochondriacus (Yanez et al), 273

Carbon dioxide

production in high-moisture corn, effect of sorbate (Lee et al), 82 retention in bread dough (Moore and Hoseney), 67

Cereal, tocopherols and tocotrienols in, Finland (Puronen et al), 78

Cereal grains

pattern recognition of (Lai et al), 168

pearl millet, odor generation in (Reddy et al), 403

Chapati

quality during storage (Venkateswara Rao et al), 131 test baking of, development of method (Haridas Rao et al), 297

Chromatography

gas, of propionic acid in grain sorghum (Lamkin et al), 372 ion-exchange for phytate analysis (Ellis and Morris), 58 Cooking, rice kernel hardness related to (Webb et al), 27

Corn

aflatoxin contamination of (Davis et al), 467

alkali-cooked, physicochemical properties of (Morad et al), 255 blends, moisture detection (Pomeranz and Czuchajowska), 283 composition of, ground on Stenvert hardness tester (Pomeranz et al), 22 devices for determining breakage susceptibility (Watson and Herum), 139

distillers' dried grains, dry fractionation of (Wu and Stringfellow), 60 hardness and breakage susceptibility, methods for (Pomeranz et al), 39 high-moisture, sorbate preservation of (Lee et al), 82

mixtures of, moisture in (Martin et al), 442

SO₂ treatment to extend drying time (Tuite et al), 462 test weight, hardness, and breakage susceptibility of (Pomeranz et al), 340

Corn dough, rheology in farinograph (Cuevas and Puche), 294

Dehulling

of quinoa, effect on saponin content (Reichert et al), 471 of small samples with Tangential Abrasive Dehulling Device (Reichert et al), 201

Differential scanning calorimetry

to measure retrogradation (Zeleznak and Hoseney), 407 for microstructural evaluation of model starch systems (Davis et al), 427 of wheat gluten (Hoseney), 285

Dough

corn, rheology in farinograph (Cuevas and Puche), 294 mixing, sucrose ester effect on (Watson and Walker), 62 retention of carbon dioxide (Moore and Hoseney), 67

Drying

modifications of wheat germ proteins (Lupano and Añón), 259 of wheat with microwaves (Campaña et al), 271 Dust, reduction with oil additives in barley and malt (Lai et al), 512

Dye binding, to wheat starch granule surface (Seguchi), 518

Electrofocusing, for classification of Chinese rice varieties (Guo et al), I Electron spin resonance spectroscopy, of native and gelatinized starch (Nolan et al), 287

Electrophoresis

of hordeins for barley identification (Heisel et al), 500 PAGE and SDS-PAGE of low-molecular-weight wheat protein from two wheat classes (Zawistowska et al), 414 SDS gradient PAGE of hordeins (Marchylo et al), 219

two-dimensional

of kernel proteins of triticales and their parental species (Lei and Reeck), 116

polyacrylamide, of wheat kernel proteins (Lei and Reeck), 111 Emulsifiers, effect on dough rheology (Watson and Walker), 62

Energy, usable value of jojoba oil (Ranhotra et al), 459

Enzymes, hydrolysis of brewers' condensed solubles by (Chung et al), 124 Ergosterol, index of quality of rice (Naewbanij et al), 315

Erratum, Khan et al (vol. 62, p. 310), 65

Extrusion cooking

viscosity of extruded wheat starch (Mason and Hoseney), 436 of wheat starch, rheology of pastes (Doublier et al), 240

Feedstuffs, potential of hull-less barley, review (Bhatty), 97 Fermentation, of brewers' condensed solubles (Chung et al), 124 Fiber

dietary

content in whole grain bread (Rognerud et al), 207 influence of wheat bran and bran particle size on bioavailability of vitamins A and E (Kahlon et al), 490

in distillers' dried grain, NIR analysis for quality evaluation (McGuire), 155

Flour

absorption for noodle dough (Oh et al), 93

effect of reduction grinding conditions (Scanlon and Dexter), 431 field bean, heat-moisture effect on water uptake (Pilosof et al), 456 mesquite pod, physical and chemical properties of (Zolfaghari et al), 104 millet, lipids in (Lorenz and Hwang), 387

overgrinding effect on properties of flour and dough (Okada et al), 187 pea, batter properties of (Osei-Yaw and Powers), 506

pigeon pea, nutritional and organoleptic evaluation of wheat breads supplemented with (Gayle et al), 136

rice, rapid quality test for (Sharp), 325

soy, effect of protein on fat absorption (Martin and Davis), 252 wet processing for breadmaking (Wu et al), 43 wheat

mineral composition and variation (Peterson et al), 183 oxidative enzymes in (Cherdkiatgumchai and Grant), 197 viscometric indexes of (Weipert and Pomeranz), 352

Folate, content of wheat brans (Mullin and Jui), 516

Fractionation, dry, of corn distillers' dried grains and CDG with solubles (Wu and Stringfellow), 60

Gliadin, comparison of PAGE and HPLC analyses of (Lookhart et al), 497 Globoid crystals, in wheat aleurone cells (Batten and Lott), 14 Glucose syrup, total carbohydrate analysis (Brooks et al), 465 Glucose tolerance, effect of high-chromium bakers' yeast on (Ranhotra and

Gluten

Gelroth), 411

glassy polymer (Hoseney), 285

rheological properties, durum wheat quality (Autran et al), 390 structure and function of (Belitz et al), 336

Grain, distillers' dried, quality evaluation by NIR analysis (McGuire), 155

Hardness, of wheat section (Pomeranz et al), 513 Hordein

identification of barleys by (Heisel et al), 500

quantitative and qualitative analysis of sequentially extracted proteins from barley and malt (Marchylo et al), 219

HPLC

quantitative-reversed phase analysis of sequentially extracted hordeins from barley and malt (Marchylo et al), 219

reversed-phase, of low-molecular-weight wheat protein from two wheat classes (Zawistowska et al), 414

of sorghum grain storage proteins (Sastry et al), 420

tocopherols and tocotrienols in Finnish cereal products (Puronen et al), 78

Image analysis, of wheat classes and varieties (Zayas et al), 52 Instructions to authors, iii

Instruments and instrumentation corn breakage susceptibility measurement (Watson and Herum), 139 mixograph, for noodle-dough absorption (Oh et al), 93

Stenvert hardness tester for gross composition of corn (Pomeranz et al),

Iron

content in whole grain bread (Rognerud et al), 207

solubility and chemical state in bread, ingredient effect (Kadan and Ziegler), 47

Isoelectric focusing, of sorghum grain storage proteins, relationship to genetic variation (Sastry et al), 420

Legumes

blended with durum semolina (Bahnassey et al), 210, 216 phytate content of beans, determined by new chromophore and

compared to Bartlett method (Mohamed et al), 475

absorption by fried donuts (Martin and Davis), 252

binding by protein films and heated prime wheat starch (Seguchi), 311 blood, effect of high-chromium bakers' yeast on (Ranhotra and Gelroth), 411

cake batter expansion effects (Donelson and Clements), 109

composition of flours differing in sulfur content (MacRitchie and Wrigley), 378

content and composition of, low-molecular-wheat protein association (Zawistowska et al), 414

effect on expansion rate and bread volume (Moore and Hoseney), 172 NIR reflectance for estimation in bread (Suzuki et al), 320

in proso millet flours and brans (Lorenz and Hwang), 387

relationship between content and composition and loaf volume for common spring wheats (Bekes et al), 327 spaghetti cooking quality role (Matsuo et al), 484

waxy, molecular species of, in wheat grain (Ohnishi et al), 193

Magnesium, isolation and identification of phytates from rice bran (Champagne et al), 160

Maize

amylose determination in starches of (Knutson), 89 protein changes during tortilla making (Ortega et al), 446 Malt, oil additive effect on dust reduction (Lai et al), 512 Maltodextrin, total carbohydrate analysis (Brooks et al), 465

Mesquite pods, physical and chemical properties of (Zolfaghari et al), 104
Methodology, determination of phytic acid and phosphorus using
chromogenic reagent (Mohamed et al), 475

Methods

buckwheat browning and color assessment (Mazza), 361 for corn hardness and breakage susceptibility (Pomeranz et al), 39 detection of mixture of wet and dry corn (Pomeranz and Czuchajowska), 283

to determine amylographic viscosity of rice flour (Sharp), 325 development of, for test baking of chapati (Haridas Rao et al), 297 hemolytic determination of saponin content in quinoa (Reichert et al), 471

for milling of wheat (Finney and Andrews), 18 molecular comparison of alcohol-soluble wheat and buckwheat proteins (Skerritt), 365

NIR reflectance for bread (Suzuki et al), 320

screening, for indirect determination of sorghum hardness (Pomeranz), 36

texture (hardness and softness) variation among individual soft and hard kernels (Gaines), 479

Microwave

drying of rice, effect on quality and properties (Wadsworth and Koltun), $346\,$

heating effect on drying wheat (Campaña et al), 271 Millet

pearl, odor generation in (Reddy et al), 403 proso

lipids in flours and bran of (Lorenz and Hwang), 387 tempering parameter effect on extraction and ash of flour, and partial characterization of proso starch (Yanez and Walker), 164

Milling
abrasive dehulling of small samples with Tangential Abrasive Dehulling

Device (Reichert et al), 201 of hard wheat, distribution of deoxynivalenol (Seitz et al), 146

of heavily ground flour using roller mills (Okada et al), 187

of HRS farina, effect of reduction grinding conditions (Scanlon and Dexter), 431
microtesting for prediction (Finney and Andrews), 177

properties of newly harvested hard wheat during storage (Posner and

Deyoe), 451 rice kernel hardness related to (Webb et al), 27

tempering parameter effect on extraction and ash of proso millet flours
(Yanez and Walker), 164

of wheat, conditioning method for (Finney and Andrews), 18

phosphorus forms in wheat grains (Batten), 384 variation in wheat grain composition (Peterson et al), 183

Moisture
of corn, determination of (Pomeranz et al), 39
in corn mixtures (Martin et al), 442

Mycotoxin, field contamination of corn with aflatoxin (Davis et al), 467

Oat groats, commercial processing effect on (Lookhart et al), 280 Oil, jojoba, usable energy value of (Ranhotra et al), 459

Packaging, shelf-life of brown rice affected by (Sharp and Timme), 247 PAGE, for identification of barleys (Heisel et al), 500 Pasta

dry-oriental noodles, flour optimum water absorption (Oh et al), 93 lipid effect on (Matsuo et al), 484

spaghetti, from legume-semolina blends (Bahnassey et al), 210, 216 statistical evaluation of technological and biochemical tests, durum wheat (Autran et al), 390

Pattern recognition, of cereal grains (Lai et al), 168
Phenols, of sorghum, genotype effect on (Hahn and Rooney), 4
Phosphorus, deficiency in developing wheat (Batten and Lott), 14
Physical testing, alveography of soft wheat flours (Rasper et al), 395
Physicochemical properties, rice, effect of microwave treatments
(Wadsworth and Koltun), 346

Phytate

analysis, resin selection for (Ellis and Morris), 58 new chromophore for phytic acid determination (Mohamed et al), 475

total P relationship in wheat grains (Batten), 384

Phytic acid

soluble magnesium and potassium phytates from rice bran (Champagne et al), 160

in winged bean cultivars (Kantha et al), 9

Polymorphism, gliadin PAGE and HPLC patterns compared (Lookhart et al), 497

Potassium, isolation and identification of phytates from rice bran (Champagne et al), 160

Prolamin, in Chinese rice, classification by electrofocusing (Guo et al), I Propionic acid, gas-chromatographic determination in grain sorghum (Lamkin et al), 372

Protease, secondary triticale activity during kernel development (Macri et al), 267

Protein

albumin, globulin, gliadin, and glutenin fractions of wheat kernels (Lei and Reeck), 111

in distillers' dried grain, NIR analysis for quality evaluation (McGuire), 155

durum wheat gliadin (PAGE) and glutenin (SDS-PAGE), pasta quality (Autran et al), 390

fractions and quality changes during tortilla making (Ortega et al), 446 gluten, structure and function of (Belitz et al), 336

heat denaturation of wheat germ proteins (Lupano and Añón), 259 isolate, heat-moisture effect on water uptake (Pilosof et al), 456

lipid binding by heated films (Seguchi), 311

low-molecular-weight wheat, characterization of (Zawistowska et al), 414

sorghum grain, separation by HPLC and isoelectric focusing (Sastry et al), 420

soybean, qualitative analysis by densitometry on gel electrophoresis (Sato et al), 493

starch granule, associated with endosperm softness in wheat (Greenwell and Schofield), 379

thiamine-binding, in buckwheat seed (Mitsunaga et al), 332 of triticales and their parental species (Lei and Reeck), 116 wheat, relation to mineral levels in grain (Peterson et al), 183

Quinoa, saponin reduction by abrasive dehulling (Reichert et al), 471

Rheology

of corn dough, prepared from Venezuelan precooked flour (Cuevas and Puche), 294

of extruded and drum-dried starch pastes (Doublier et al), 240 mechanical evaluation of soy extrudates (Kazemzadeh et al), 304

Rice

brown, shelf-life of (Sharp and Timme), 247 Chinese, classification by electrofocusing (Guo et al), 1

ergosterol content (Naewbanij et al), 315

flour, rapid quality test for (Sharp), 325

kernel hardness relation to milling, cooking, and processing (Webb et al), 27
microwave treatment effect on quality and properties (Wadsworth and

Koltun), 346
Rice bran, soluble magnesium and potassium phytates from (Champagne

et al), 160 Rye, two-dimensional electrophoresis of kernel proteins (Lei and Reeck),

Saponin, hemolytic determination of, in dehulled quinoa (Reichert et al),

Saponin, nemolytic determination of, in denuiled quinoa (Reichert et al),
471

Scanning electron microscopy

of arrowroot starch (Erdman), 277

commercial processing effect on properties of oat groats (Lookhart et al), 280

structural evaluation of soy extrudates (Kazemzadeh et al), 304

Sensory evaluation, effect of fermentation conditions on evaluation of French bread (Hironaka), 369

Shortening, influence of carbon dioxide retention in bread dough (Moore and Hoseney), 67

Sorbate, preservation of high-moisture corn, prevention of aflatoxin production (Lee et al), 82

Sorghum

dehulling of small samples with Tangential Abrasive Dehulling Device (Reichert et al), 201

gas-chromatographic determination of propionic acid added as preservative (Lamkin et al), 372

genotype effect on tannins and phenols of (Hahn and Rooney), 4 hardness indirect determination of (Pomeranz), 36

tryptophan and lysine levels in normal and high-lysine selections (Hassen

Sorghum grain, storage proteins, genetic variation of (Sastry et al), 420 Soy glycinin, succinylation effect on (Kim and Kinsella), 342

Soy protein, 11S and 7S lysozyme interactions (Damodaran and Kinsella),

Soybeans

mechanical and ultrastructural evaluation of extrudates (Kazemzadeh et al), 304

proteins, quantitative analysis by densitometry on gel electrophoresis (Sato et al), 493

Spin labels, fatty acid, effect on starch (Nolan et al), 291 Starch

Amaranthus hypochondriacus, starch isolation and partial characterization (Yanez et al), 273

arrowroot (Erdman), 277

comparison of amylopectin structures in wheat varieties (Kobayashi et al), 71

fatty acid spin label effect on (Nolan et al), 291

granule, protein associated with endosperm softness in wheat (Greenwell and Schofield), 379

maize, determination of amylose in (Knutson), 89 microstructural evaluation of (Davis et al), 427

native and gelatinized-, electron spin resonance study of (Nolan et al), 287

prime wheat, lipid binding by (Seguchi), 311

proso millet, partial characterization of (Yanez and Walker), 164 retrogradation, effect of water on (Zeleznak and Hoseney), 407 total carbohydrate analysis (Brooks et al), 465

wheat

extrusion cooking and drum drying of, rheology of pastes (Doublier et al), 240

viscosity of extruded (Mason and Hoseney), 436

chapati, changes in quality characteristics of (Venkateswara Rao et al),

of confectionery sunflower kernels (Buendia and D'Appolonia), 85 milling properties of newly harvested hard wheat during (Posner and Deyoe), 451

of pearl millet, odor generation in (Reddy et al), 403 of rice, ergosterol content (Naewbanij et al), 315

shelf-life of brown rice affected by (Sharp and Timme), 247 SO₂ treatment to extend corn drying time (Tuite et al), 462

Storage protein, accumulation in wheat endosperm (Bechtel and Barnett), 232

Succinylation, of soy glycinin (Kim and Kinsella), 342

Sulfur, deficiency in wheat, lipid content and composition (MacRitchie and Wrigley), 378

Sulfur dioxide, to extend corn drying time (Tuite et al), 462

Sunflower, confectionery kernels, storage of (Buendia and D'Appolonia), 85

Tannins

of sorghum, genotype effect on (Hahn and Rooney), 4 in winged bean cultivars (Kantha et al), 9

Texture, hardness and softness variation among individual soft and hard kernels (Gaines), 479

Thiamine, binding protein in buckwheat (Mitsunaga et al), 332 Tocopherols, in cereal products from Finland (Puronen et al), 78

Tocotrienols, in cereal products from Finland (Puronen et al), 78 Tortillas

protein changes using normal and quality protein maize (Ortega et al), 446

traditional vs. presoaking procedures (Morad et al), 255

Triticale

breadmaking potential of, factors affecting (Macri et al), 263

changes in enzyme activities, protein content during kernel development (Macri et al), 267

two-dimensional electrophoresis of kernel proteins (Lei and Reeck), 116

Trypsin inhibitor, in winged bean cultivars (Kantha et al), 9

Tryptophan, improved ion-exchange method for analysis in cereals (Hassen et al), 175

Ultrastructure, of developing wheat endosperm (Bechtel and Barnett), 232

Viscosity, reduction of brewers' condensed solubles (Chung et al), 124 Vitamins

A and E, influence of wheat bran and bran particle size on bioavailability of (Kahlon et al), 490

enrichment, stability of in bread and cookies (Ranhotra and Gelroth),

Water uptake, of bean flour and protein isolate (Pilosof et al), 456 Wheat

alveography of soft wheat (Rasper et al), 395

changes in grain phosphorus, fractions with ploidy (Batten), 384 common spring, prediction of loaf volume from lipid content and composition (Bekes et al), 327

composite, breadmaking properties of wheat and faba bean (Youssef and Bushuk), 357

dehulling of small samples with Tangential Abrasive Dehulling Device (Reichert et al), 201

discrimination of bread-baking quality by NIR spectroscopy (Devaux et al), 151

drying effect on germ proteins (Lupano and Añón), 259 durum

technological and biochemical tests for quality assessment (Autran et al), 390

two-dimensional electrophoresis of kernel proteins (Lei and Reeck), 116

effect of reduction grinding conditions on HRS flour properties (Scanlon and Dexter), 431

grain endosperm softness associated with starch granule protein (Greenwell and Schofield), 379

hard, milling properties during storage (Posner and Deyoe), 451 hard red winter, deoxynivalenol distribution in millstreams (Seitz et al), 146

hardness

affected by chromosome number and species (Williams), 56 of wheat sections (Pomeranz et al), 513

image analysis for discrimination between classes and varieties (Zayas et al), 52

kernel proteins, two-dimensional electrophoresis of (Lei and Reeck), 111 low-molecular-weight protein, characterization of, two classes (Zawistowska et al), 414

microtesting for quality evaluation (Finney and Andrews), 177

microwave heating effect on (Campaña et al), 271

phosphorus nutrition influence on globoid crystal composition (Batten and Lott), 14

protein, comparison with buckwheat (Skerritt), 365

soft red winter, conditioning method for milling of (Finney and

starch granules, dye binding to surface of (Seguchi), 518

starchy endosperm development (Bechtel and Barnett), 232

sulfur deficiency in, lipid composition and content (MacRitchie and Wrigley), 378

texture (hardness and softness) variation among individual soft and hard kernels (Gaines), 479

varieties, comparison of amylopectin structures (Kobayashi et al), 71 viscometric indexes of (Weipert and Pomeranz), 352

waxy lipids in, composition and molecular species of (Ohnishi et al), 193 winter, chemical composition and nutritive value of kernels of (Anderson

Winged bean, nitrogen, phytic acid, and mineral solubility (Kantha et al), 9

Yeast, bakers', effect on glucose tolerance and blood lipids (Ranhotra and Gelroth), 411

Yellow berry, in wheat (Anderson et al), 75

